

Risk Assessment

Equipment / activity: Unclimbable Ladder Date: 12/12/2023

| Hazard | Who is at risk? | Possible effects/ harm | Likelihood (high, medium, low) | Evaluatio n & Control Measures | Revised risk rating (high, medium, low) | Are there adequate control measures in place? |
|-----------------------------------|-----------------------------|--|---|--|---|---|
| Blower/ power failure | Participants, spectators | Equipment may deflate/ collapse causing injury to participants and/or spectators | Low | Equipment to be monitored at all times by operator and any signs of equipment failure should be acted on immediately, evacuating the slide. | Low | Yes |
| Overloading of participants | Participants | Participants could be injured due to colliding with each other. Slide may become damaged | Medium | No more than 2 participants are allowed on the equipment at any time. | Low | Yes |
| Age restrictions | Participants | Injury due to participant being too young . | Low | It is advised that only children over the age of 5 years and adults should use the equipment. | Low | Yes |

| Ladder's surface/grip | Participants | Injury caused by slippery treads | Medium | Equipment to be checked before use by JM staff to check for damage and to ensure cleanliness. | Low | Yes |
|--------------------------|--------------|--|--------|---|-----|-----|
| | | | | No food or drink to be consumed whilst participating. | | |
| | | | | Should any slippery area be found, equipment should be cleared of participants until the ladder had been cleaned. | | |
| | | | | Equipment not ti be used in heavy rain or wind. | | |

| Product tipping over | Staff, participants, spectators | Injury caused by product tipping over | Medium | Slide should not be used on very soft ground, such as sand. When used on grass, slide should be pegged down. When used on a hard surface, weights, sandbags should be used to ensure slide does not move. Equipment not to be used in high winds. Weather should be monitored at all times and if it becomes windy, the equipment should be closed down. | Low | Yes |
|------------------------------------|---------------------------------------|---|--------|--|-----|---|
| Electric shock | Staff | Risk of injury or death to staff setting up the ride | High | All electrical equipment to be PAT tested. | Low | Yes |
| Inclement weather conditions | Staff, participants, spectators | Risk of slipping in wet conditions, or risk of serious injury if ride is affected by strong winds | High | Ride to be adequately secured to the ground at all times. Ride not to be used in wet conditions. In the event of high winds, ride should not be inflated. | Low | Yes, weather forecast should be checked. |

| Fire Staff, participar spectator | | Medium | No smoking or naked flames to be near the slide. All electrical equipment to be PAT tested. | Low | Yes |
|----------------------------------|--|--------|---|-----|-----|
|----------------------------------|--|--------|---|-----|-----|

Risk rating

High For example:

- fatality possible to one or more individuals however infrequent
- major injury to few individuals occurring frequently
- likelihood of long term muscular-skeletal problems affecting significant numbers of staff
 Immediate action required

<u>Medium</u> For example:

- major injury to one/few individuals occurring infrequently
- likelihood of long term muscular-skeletal problems affecting some staff. Requires attention as soon as possible

5 of 5

<u>Low</u> For example:

• minor injury occurring infrequently to few staff. Not a priority, may need attention if not as low as reasonably practicable.