



Risk Assessment

Equipment / activity: Human Demolition
 Arena
 Date: 12/12/2023

Hazard	Who is at risk?	Possible effects/harm	Likelihood (high, medium, low)	Evaluation & Control Measures	Revised risk rating (high, medium, low)	Are there adequate control measures in place?
Blower/power failure	Participants , spectators	Slide may deflate/ collapse causing injury to participants and/or spectators	Low	Equipment to be monitored at all times and any signs of equipment failure should be acted on immediately, evacuating the equipment.	Low	Yes
Overloading of participants	Participants	Participants could be injured due to colliding with each other. Equipment damage	Medium	No more than 4 participants on the equipment at a time. Only participants allowed in the arena.	Low	Yes
Pre-existing medical conditions	Participants	Injury, serious injury or death	Medium	Anyone with pre-existing injuries that may be affected by participation in this game should not use the equipment. Pregnant women should not use the equipment.	Low	Yes

Strain/injury during participation	Participants	Strain, injury	Medium	<p>Participants should be aware of their own physical ability to take part and take care not to over extend during play. Instructions should be followed at all times. Anyone feeling ill during play should stop play and leave the equipment immediately.</p> <p>Children should be supervised at all times.</p>	Low	Yes
Concussion / head injury	Participants	Possible injury from being struck by ball	Medium	<p>Anyone who's taken a hard hit to the head from the ball should leave the arena. If the participant is showing any signs of confusion or other injury, medical help should be sought.</p>	Low	Yes
Choking	Participants	Injury or death from choking whilst using the equipment	Low	No food or drink to be consumed in the arena	Low	Yes

Inappropriate behaviour	Participants	Injury from misuse of the equipment	Low	Anyone who is seen to be misusing the equipment should be asked to leave immediately. Anyone with excessive amounts of alcohol in their system should not use the equipment		
Slip/trip	Participants	Strain, injury	Medium	Appropriate clothing should be worn. Jewellery should be removed or securely fastened in place to avoid damage to the equipment. Product should not be used in wet conditions and no food or drink to be consumed when using the equipment.	Low	Yes
Electric shock	Staff	Risk of injury or death to staff setting up the ride	High	All electrical equipment to be PAT tested.	Low	Yes

Inclement weather conditions	Staff, participants , spectators	Risk of slipping in wet conditions, or risk of serious injury if ride is affected by strong winds	High	Equipment to be adequately secured to the ground at all times. Game not to be used in wet conditions. In the event of high winds, game should not be used.	Low	Yes, weather forecast should be checked.
Fire	Staff, participants , spectators	Risk of burns to staff, participants and spectators and also risk of damage to the slide	Medium	No smoking or naked flames to be near the equipment. All electrical equipment to be PAT tested.	Low	Yes

Risk rating

High

For example:

- fatality possible to one or more individuals however infrequent
- major injury to few individuals occurring frequently
- likelihood of long term muscular-skeletal problems affecting significant numbers of staff
Immediate action required

Medium

For example:

- major injury to one/few individuals occurring infrequently
- likelihood of long term muscular-skeletal problems affecting some staff. Requires attention as soon as possible

Low

For example:

- minor injury occurring infrequently to few staff.
Not a priority, may need attention if not as low as reasonably practicable.