




BS EN14960-2019



Inspection Report

<p>Certificate Number 00415426</p>	<p>Inflatable manufacturer Pango</p>
<p>Test Date 15/4/26 Signature  D Morris</p> <p>Print Name D Morris</p>	<p>Size 2.2 height Length 8.5 width 8 Type: Dash N Grab Inflatable Hire (4-player) Upto 4 player game only Colour Black /ed Id number - jm73241 Anchor points 12</p>


Annual Inspection Certificate
I certify that the inflatable play equipment was tested in accordance with current requirements to meet BSEN 14960 2019.


<p>Test Expiry Date 16/4/27</p>	<p>RPII Registered inspector number: AI0074</p>
-------------------------------------	--

<p>Blower</p> <table> <tr><td>Suitability</td><td>Pass</td></tr> <tr><td>Inlet and Outlet Mesh</td><td>Pass</td></tr> <tr><td>Cable and Plug</td><td>Pass</td></tr> <tr><td>Impeller</td><td>Pass</td></tr> <tr><td>Return Flap</td><td>Pass</td></tr> <tr><td>PAT Test</td><td>Pass</td></tr> <tr><td>Blower Type</td><td>Gibbons</td></tr> <tr><td>Blower size</td><td>2 x 1.5hp</td></tr> </table>	Suitability	Pass	Inlet and Outlet Mesh	Pass	Cable and Plug	Pass	Impeller	Pass	Return Flap	Pass	PAT Test	Pass	Blower Type	Gibbons	Blower size	2 x 1.5hp	<p style="text-align: center;">Notes –</p> <ul style="list-style-type: none"> • No more than 4 players at any one time. • No mixing of adults and children at the same time during use. • Users of same size during use.
Suitability	Pass																
Inlet and Outlet Mesh	Pass																
Cable and Plug	Pass																
Impeller	Pass																
Return Flap	Pass																
PAT Test	Pass																
Blower Type	Gibbons																
Blower size	2 x 1.5hp																

Notes –

- 1- This inflatable has been inspected to ensure it is safe to use, this must be set up and anchored using stakes 380mm x 16mm if outside - .
- 2- Must be supervised at all times.
- 3- Must not be used in winds including gusts over 24pmh, this should be check regularly whilst in use.
- 4- Operator must ensure the correct blower and an operating pressure of a minimum 1kpa is kept AT ALL TIMES, air pressure to be recorded prior to each use.
- 5- Mats to be used on all impact areas on hard ground areas.




D. MORRIS



D Morris